User:

Thursday, 23/10/2008 10:54:00 AM

Julie Dawson

#### **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

S.O. No. :

Job Number

: 42883

**Estimate Number** 

: 10495

P.O. Number

Prsht Rev.

First Issue

**Previous Run** 

This Issue

: 23/10/2008 : NC

: //

: 41338

: MACHINED PARTS Type

Written By

Checked & Approved By Comment

: est rev H 07.06.12 ecn 825

**Drawing Name** 

: LITTER TIE DOWN ASS'Y (LOCKING) - UNDER

**REVIEW** 

: D2360 **Part Number** 

**Drawing Number** 

· D2360/D2341 : N/A

**Project Number** : D/F **Drawing Revision** 

Material

: 15/11/2008 **Due Date** 

Qty:

Each

**Additional Product** 

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0 D6201

. Comment: Qtv.:

"T" Extrusion

1.1067 f(s)/Unit Total: -6.6402 f(s)-, 5.5335

Material: D6201 (6061-T6 (QQ-A-200/8) 4" x 4" x 3/8" Thick 'T' extrusion)

Batch: 36793

BAND SAW

Comment: BAND SAW

BAND SAW

Cut blanks: 12.65" Long

HAAS CNC VERTICAL MACHINING #1

08/10/25

3.0

2.0

HAAS1

Comment: HAAS CNC VERTICAL MACHINING #1

Machine as per Folio D2341 and Dwg D2341

PARTS AS THEY COME OFF MACHINE

2-Deburr

INSPECT PARTS AS THEY COME OFF MACHINE

4.0 QC2

5.0

Comment: INSPECT QC8

SECOND CHECK

Comment: SECOND CHECK

<b>Dart</b>	Aeros	pace	Ltd
-------------	-------	------	-----

W/O:		WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE				Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
			**************************************								
. P											
								<u></u>			

Part No: <u>D2360</u>
PAR #: <u>NA</u> Fault Category: <u>Mach.</u> NCR: Yes No DQA: <u>NA</u> Date: <u>68.11.03</u>

(D350-616-011/-013)

SCEAP | SCEAP.

QA: N/C Closed: <u>MACH.</u> Date: <u>08/11/20</u>

NCR:42	2882	W	ORK OR	DER NON-CONFORMANCI	E (NCR)	-		
		Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspecto
		Dunain maching the combours	a	SCRAP and Deal	y, A	/	Q	
.) ) .	*2	a Perce of to conton got coucht	6210.27	SCRAP and Pestry. no people on extraves	11727	10/01	12-10:17	
8/10/27	30	in between Distance 0750 and	831 012		08/10/27	00/10	DIOYL	
		3-133 3.3/3. ( Dee Day.	170 100	MADE	1	60,	30:172	06/0127
		D2341 for holysteo acra)  Ret causin the part to beno.	//	fu to a la c	11/			
		and mecha smoller.		from happing again	[/1/ ]			0
		RC. D'Chips Ducht clean out.	/651W2	from happy again	135-10	orlida	hosimz	08/10/17
		cherry maching						
	j	\		I piage				8
				See last page cont	1718.			c) las
		al all entries		JOV C141	108-11.		_	08/10/27

Date: Thursday, 23/10/2008 10:54:01 AM User: Julie Dawson **Process Sheet** Drawing Name: LITTER TIE DOWN ASS'Y (LOCKING) - UNDER REVIEW Customer: CU-DAR001 Dart Helicopters Services Job Number: 42883 Part Number: D2360 Job Number: Sea. #: **Machine Or Operation:** Description: HAND FINISHING1 HAND FINISHING RESOURCE #1 6.0 Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1 POWDER COATING POWDER COATING m/09/52 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 START TIME: **OVEN TEMPERATURE:** FINISH TIME: INSPECT POWDER COAT/CHEMICAL CONVERSI 8.0 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 9.0 D2002015 Comment: Qty.: 2.0000 Each(s)/Unit Total: 12.0000 Each(s) Knob D2345 10.0 Lock Channel 1.0000 Each(s)/Unit Total: 6.0000 Each(s) Comment: Qty.: Lock Channel D2366 11.0 Comment: Qty.: 2.0000 Each(s)/Unit Total: 12.0000 Each(s) Inventory D2367 12.0 Handle Knob Comment: Qty.: Total: 6.0000 Each(s) Inventory

W/O: WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							7
Part No		DAP # Fault Category N	CD. Vac	s No. DO	۸.	Date:	

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
1.			QA: N/C Closed:	Date:
		WORK OPDED NON CON	EODMANCE (NCD)	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification	Annroyal	Annroyal			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
								*			
		0									
		+									
	·										
								ŀ			

Thursday, 23/10/2008 10:54:01 AM Date: User: Julie Dawson **Process Sheet** Drawing Name: LITTER TIE DOWN ASS'Y (LOCKING) - UNDER REVIEW Customer: CU-DAR001 Dart Helicopters Services Job Number: 42883 Part Number: D2360 Job Number: Seq. #: **Machine Or Operation:** Description: 13.0 D2372 Quick Release Comment: Qty.: Total: 12.0000 Each(s) 2.0000 Each(s)/Unit Quick Release 14.0 Spring Comment: Qty.: Total: 6.0000 Each(s) 1.0000 Each(s)/Unit Spring 15.0 D2444 Pip Pin Assembly Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s) Pip Pin Assembly AN526C1032R18 16.0 Screw Total: Comment: Qty.: 1.0000 Each(s)/Unit 6.0000 Each(s) 101458 Screw AN960JD10 Washer 17.0 2.0000 Each(s)/Unit Total: Comment: Qty.: 12.0000 Each(s) Washer 18.0 AN960JD10L Washer Comment: Qty.: 8.0000 Each(s)/Unit Total: 48.0000 Each(s) Washer 19.0 MS20470AD34 Rivet, Universal Head Total: 6.0000 Each(s) Comment: Qty.: 1.0000 Each(s)/Unit Rivet, Universal Head 15541 20.0 MS21042L3 Nut Comment: Qty.: 3.0000 Each(s)/Unit Total: 18.0000 Each(s) M10903) Nut

Dart Ae	rospace	Ltd							
W/O:			W	ORK ORDER CHANGES					
DATE	STEP	PROC	EDURE CHA	ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		·							
		<u> </u>							
Part No		PAR #:	_ Fault Cate	egory: NC	R: Yes	No DQ	A:	_ Date: _	
					QA: N	C Close	d:	_ Date: _	
NCR:		W	ORK ORD	ER NON-CONFORMANCE	(NCR	)	•		
		Description of NC		Corrective Action Section B		Verific	eation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section		Chief Eng	QC Inspector
									- (3)

Date: Thursday, 23/10/2008 10:54:01 AM User: Julie Dawson **Process Sheet** Drawing Name: LITTER TIE DOWN ASS'Y (LOCKING) - UNDER REVIEW Customer: CU-DAR001 Dart Helicopters Services Job Number: 42883 Part Number: D2360 Job Number: Seq. #: Description: **Machine Or Operation:** 21.0 MS27039113 Screw Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s) Screw M1052/1 22.0 MS27039115 Screw Comment: Qty.: 2.0000 Each(s)/Unit Total: 12.0000 Each(s) 108/69 Screw 23.0 NAS679A3W Nut Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s) Nut SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 24.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 Assemble as per dwg D2360 INSPECT WORK 25.0 QC5 Comment: INSPECT WORK TO CURRENT STEP 26.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1

Identify and Stock

Location

QC21

FINAL INSPECTION/W/O RELEASE

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion

27.0



W 08,11.03

Da	art	Ae	ro	sn	ac	e	Lte	ď
-			,, ,	V	~~	•		•

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
				.,	4					
					č*					
<b>.</b>										

Part No	:	PAR #:	Fault Ca	tegory:	NCR: Yes N	o <b>DQA</b> :	Date:			
				•	QA: N/C	Closed:	Date: _			
NCR:		V	VORK OR	DER NON-CONFORMAN	NCE (NCR)					
		Description of NC	-	Corrective Action Section	В	Verification	Amazanal	A		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	QC Inspecto		

	Description of NC		Corrective Action Section B		Verification	Annroyal	Annrova
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approva QC Inspect
	*	-					
			-				
140							
							,
						-	
	al all entries		4				
	STEP	Section A	Section A Initial Chief Eng	STEP Section A Initial Chief Eng Chief Eng	STEP Section A Initial Chief Eng Chief Eng Sign & Date	STEP Section A Initial Chief Eng Chief Eng Section C Section C Section C	STEP Section A Initial Chief Eng Chief Eng Section C Sign & Date Chief Eng Approval Chief Eng Approval Chief Eng Chi

DART AEROSPACE LTD	Work Order:	42882
Description: Litter Tie Down Bracket (Locking)	Part Number:	D2341
Inspection Dwg: D2341 Rev: F		Page 1 of 1

#### FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
1.500	+/-0.010	1.503	1		·	
1.000	+/-0.010	1.005	V			
Ø0.242	+0.005/-0.001	60.244	1	-		
Ø0.191	+0.005/-0.001	00.193				
R0.250	+/-0.010	R0.250	/			σ
1.700	+/-0.010	1.697	/			
0.750	+/-0.010	0.754	/			-
2.750	+/-0.010	2.754	/		10	
11.000	+/-0.005	11.001	/			
5.500	+/-0.010	5.499	/			
						,
1.584	+/-0.010	1.588	-			
Ø0.191	+0.005/-0.001	80.191	~			
2.610	+/-0.010	2.614	~			
0.844	+/-0.010	0.844	V			
1.250	+/-0.010	1.252	V			
0.750	+/-0.010	0.749	V			
12.500	+/-0.010	12.50	V			
3.313	+/-0.010	3.516				
4.250	+/-0.010	4.247	V			
0.400	+/-0.010	0.3985	V			

Measured by:	A.G		Audited by:	Sinf	Prototype Approval:	N/A
Date:	08/10	25	Date:	08/10/27	Date:	N/A

Rev	Date	Change		Revised by	Approved
Α	06.05.24	New Issue	P/O D2360	KJ/JLM ,	
В	07.07.17	Dwg Rev. updated		KJ/JLM X	R
				7 (1	

W/O:			WORK ORI	DER CHANGES	3		
DATE	STEP	PRO	CEDURE CHANGE		Ву	Date Qty Chief Eng / QC Inspec	val
	1.21						
							i n
				1 (			
Part No	:	PAR #:	Fault Category:		NCR: Yes	No DQA:	-


QA: N/C Closed: Date:


NCR:		. \	WORK OR	DER NON-CONFORMANCE	E (NCR)		7) = \$
i'	-	Description of NC		Corrective Action Section B	,	Verification Approval	A
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C Chief Eng	Approval QC Inspecto
	-	*		,		178.	
		1			·		
	*						
		· · · · · · · · · · · · · · · · · · ·					<i>1217</i>
ş				â.			
7.5							
**							
					Ž.		



DESIG		DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	KED	APPROVED	DRAWING NO. REV. F
L -	平	TA TA	D2341 SHEET 1 OF 1
DATE		- ward	TITLE SCALE
07.0	06.07		LITTER TIE DOWN BRACKET (LOCKING) 1:2
Α		95.01.13	NEW ISSUE
В		95.02.14	MODIFIED LOCK
D		95.02.20	CHANGES TO DIAMETERS
E		97.10.01	CHANGES FOR MACHINING
F		07.06.07	REVISED NOTES: FINISH WAS ANODIZE

RELEASED





- 1) MATERIAL: MAKE FROM D6201-0125 EXTRUSION
  (6061-76/7651 PER QQ-A-200/8)
  2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
  POWDER COAT WHITE (REF. 4.3.5.1) PER QSI 005 4.3
  3) BREAK ALL SHARP EDGES TO 0.005 TO 0.010
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED IDENTIFY WITH DART P/N "D2341" USING FINE POINT PERMANENT INK MARKER

Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Da	rt /	Aer	osp	oac	e Ltd
----	------	-----	-----	-----	-------

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	PROCEDURE CHANGE By Date		Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				-			,
			I				

Part No:	PAR #:	Fault Category:	NCR: Yes	No	DQA:	Date:
			QA: N	I/C C	losed:	Date:

	WORK ORDER NON-CONFORMANCE (NCR)								
	Description of NC		Corrective Action Section B		Verification Section C	Approval Chief Eng	Ammassal		
STEP	STEP Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date			Approval QC Inspector		
		-							
				:					
			,						
					!		:		
	STEP	STED Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description	STEP Description of NC Section A Initial Action Description Sign &	STEP Description of NC Section A Initial Action Description Sign & Verification Section C	STEP Description of NC Section A Initial Action Description Sign & Section C Chief Eng		



DESIGN BW		CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECK	ŒD	APPROVED,	DRAWING NO. REV. D
(	E	- AT	D2360 SHEET 1 OF 2
DATE			TITLE SCALE
07.0	6.06		LITTER TIE DOWN ASSEMBLY (LOCKING) NTS
Α		95.02.10	NEW ISSUE
В		95.02.20	RE-DESIGN
С		97.08.27	ADD MS20470AD3-4 RIVET
D		07.06.06	D2002-015 WAS D2376; SECTION B-B QTY(2) AN960JD10 WAS QTY(3) QTY(8) AN960JD10L WAS QTY(5)

57 do 01

#### **PARTS LIST:**

QTY	PART NUMBER	DESCRIPTION
X	D2360	LITTER TIE DOWN ASSEMBLY (LOCKING)
1	D2341	LITTER TIE DOWN (LOCKING)
1	D2345	LOCK CHANNEL
2	D2366	LOCK HANDLE
1	D2367	KNOB (DELRIN)
2	D2372	QUICK RELEASE FASTENERS
1	D2373	SPRING
2	D2002-015	KNOB (DELRIN)
1	D2444	PIP PIN
1	AN526C1032R18	SCREW
2	AN960JD10	WASHER
8	AN960JD10L	WASHER
1	MS20470AD3-4	RIVET
3	MS21042L3	NUT (OR MS21042-3)
1	MS27039-1-13	SCREW
2	MS27039-1-15	SCREW
1	NAS679A3W	NUT

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE


Copyright © 1995 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:				WORK OF	DER CHANG	SES				
DATE	STEP	PROCEDURE CHANGE					Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		·								
				,						
									-	
Part No		P/	AR #:	Fault Category:		NCR: Yes	No DQ	A:	_ Date: _	
						QA:	N/C Close	d:	Date:	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
,		Description of NC		Corrective Action Section B		Varification	A	Approval			
DATE	STEP	Section A	Initial Action Description Chief Eng Chief Eng		Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector			
		161									
								i.e.			
:											
		3									







Copyright @ 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES										
DATE	·<		PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
				*								
		<b>.</b>										

Part No:		PAR #:	Fault Category:			R: Yes N	o <b>DQA</b> :	Date: _	
		3				QA: N/C	Closed:	Date:	
NCR:		WOR		ER NON-CONFO					
DATE		Description of NC	Corrective Action Section B		n Section B		Verification	Annewal	Ammou
	STEP	Section A			tion	Sign &	Section C	Approval	Approv

		Description of NC Corrective Action Section B					Verification	A	Airmanal		
DATE	STEP	Section A	Initial   Action Description   Sign   Chief Eng   Date		Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
		Δ:		200							
		19									
		() ()									
		/									
		•			•						
					in .						
1.4		•									
								3			
		· ·		A 40				v.			
	Ì	1 25		7.1	-	-1	1	1 1 .			

W/O:		WORK ORDER O	HANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						-	
						Į.	
<del></del>					700-	Park D	Elar Par
Part No	:	PAR #: Fault Category:	<b>NCR</b> : Yes	No [	QA:	_ Date:	FRON Por

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification	Approval Chief Eng	Annuaral			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C		Approval QC Inspector			
08.10.27	3.0	while machining the contour, a piece of the material, was eaught between the port and the tool at the c.750° & 3.313° location, causing the part to bend, and be machined		Part was scraped in replace.  Part was scraped in replace.  Part was scraped in replace.  Part was scraped in replaced in replaced in the section of the Jaws was machined out, to allow the	ره ۲ زم	106-(1-18	rusiwe	68-11-18			
		Smaller blong the top.  R.c: Chips were building up during maching, inside the Jams on the vise. & Process &	posiuiz	chips to remove during machining, and not build up	For Chariff	06-11-18	Pasiwiz	66-11-18			
		al all entries									